



**AFRIMAT®**

|                        |  |                |              |
|------------------------|--|----------------|--------------|
| <b>Name of Quarry:</b> | <b>Glen Douglas</b>                          |                |              |
| Town or City:          | Henley-On-Klip (Midvaal)                     |                |              |
| Telephone Number:      | 016 366 0321                                 |                |              |
| Fax Number:            |  |                |              |
| Address:               | C/o Sontnell and Henley Drive Henley on Klip |                |              |
| Email:                 | cathy.botha@afrimat.co.za                    |                |              |
| GPS Coordinates:       | 26°30'36.49" S                               | 28°03'59.44" E |              |
| Mine Manager:          | Willem Hattingh                              | Cell number:   | 083 408 7630 |

Please indicate the material that your quarry manufactures or that you will be able to supply.

| Road Stone            | ✓ | Concrete Stone  | ✓ | Ballast                           | ✓ |
|-----------------------|---|-----------------|---|-----------------------------------|---|
| 19 mm                 |   | 53 mm (Ballast) | ✓ | 63 mm                             |   |
| 13,2 mm               |   | 37,5 mm         | ✓ | 53 mm                             |   |
| 9,5 mm                |   | 26,5 mm         |   |                                   |   |
| 6,7 mm                |   | 19 mm           | ✓ |                                   |   |
| 4,75 mm               |   | 13,2 mm         | ✓ |                                   |   |
| 2-4 Grit              |   | 9,5 mm          | ✓ |                                   |   |
|                       |   | 6,7 mm          | ✓ |                                   |   |
|                       |   | Builders mix    | ✓ |                                   |   |
| Base                  | ✓ | Subase          | ✓ | Sand                              | ✓ |
| G 1                   | ✓ | G 5             | ✓ | Crusher Sand Washed 4,75 mm       | ✓ |
| G 2                   |   | G 6             |   | Crusher Dust (Super Sand) 4,75 mm | ✓ |
| G 3                   |   | G 7             |   |                                   |   |
| G 4                   |   |                 |   |                                   |   |
| Other                 | ✓ |                 |   |                                   |   |
| Unselected Dump Rock  | ✓ |                 |   |                                   |   |
| Agricultural Lime     | ✓ |                 |   |                                   |   |
| Metalurgical Dolomite | ✓ |                 |   |                                   |   |
|                       |   |                 |   |                                   |   |
|                       |   |                 |   |                                   |   |
|                       |   |                 |   |                                   |   |

|  |          |
|--|----------|
| Geological Deposit: (Type of material) | Dolomite |
| Relative Density, %:                   | 2,87     |
| Water Absorption, %:                   |          |
| Alkali Reactivity Expansion, %:        |          |
| Durability – Ethylene Glycol, %:       | 0,009    |
| Polished Stone Value:                  | 45       |
| Los Angeles Abrasion, %:               | 16,72    |
| Silica Content, %:                     |          |

**Disclaimer**

The above data is based on continuous testing and is therefore regarded as average results and should not be used for calculation purposes. Please contact Afrimat technical services at johan.burger@afrimat.co.za or call 023 342 6026 for the latest up to date test results.